



Data Sheet of LCD Video Brochure from China Manufacturer

Video brochure is a product that can be customized with above specifications. It is a printed packaging with a micro-thin LCD screen, PCB boards, speakers and rechargeable lithium batteries along with a USB connection that allows for change of video and Recharging the unit. These video inserts have multiple uses: they can be used for direct marketing advertising and business promotions.

They allow Playing video clips of all kinds of formats. To be a better idea, we are waiting for you!



Specifications:

Item	Description			Remarks
Switch	Magnetic switch or ON/OFF button switch			
	Screen Size	Pixel Size	Aspect Ratio	
	1.8"	320 x 240	4:3	
	2.4"	320 x 240	4:3	
	2.8"	320 x 240	4:3	
	3.5"	320 x 240	4:3	



LCD Screen	4.3"	480 x 272	16:9	
	5"	480 x 272	16:9	
	7"	800 x 480	16:9	
Function Control Buttons (Available If Required)	ON/OFF button	1		When adding buttons to the artwork, the centre of each button need to be at least 15mm from the edge of the screen, the edge of the card, or another button
	Volume Up	1		
	Volume Down	1		
	Video Files	0-8		
	Play/Pause	1		
Print Size	A4, A5, DL (12.7 x 17.7 cm)			Customized print sizes are accepted.
Print Solution	Please ensure all images are supplied in CMYK not RGB.			
Number of Video Files	1-8			
Memory	128 MB to 8 GB			
Battery	Rechargeable battery			
Lifespan	1.5h-3h			
Mini USB Port and cable	1 USB port for uploading files and charging			
Screen Placement	The screen outline can be moved within the boundary of the card, but must be at least 15mm clear of the edge of the card, the buttons and the USB port.			
Speakers	Set Up	8OHM 2W		
	Output	2W		
	Maximum Volume	55dB		
	Optimum Volume	40 dB		
	Volume Presets	55 dB (if no volume buttons are selected)		
Video Format	.avi, mp4, etc.			



Boot Logo	Support a boot logo of the same pixels with the screen size.	
Special Finishes	When supplying guides for special finishes, please create the area of the finish as a separate spot color within the artwork and rename in color palette to the chosen finish e.g. (Spot UV, foil, etc.) This must be made clear on the artwork to prevent mis-production	

Custom Printing

Support can be printed in 4 colors (CMYK) or Pantone (PMS), digitally or with cards and special stains with options for printing and personalization of design.

Delicate effect on surface finishing:

Matt/glossy laminated

Embossing

Spot UV varnish

Gold/Silver foil hot stamping

Laser Engraving

Packaging & Delivery

Packaging Detail: 1pc/poly bag, 80pcs/carton. NW/GW: 18.50KGS /20KGS. MEAS: 47.5*30*37.5cm

Delivery Detail: 7-10 days after sample approval and payment received

Note: We have a complete design and engineering team to help you with your special project. Samples can be provided as per your demand. Contact us for more information.