





Catalogue of Custom Video Brochures

Video Brochures allow your business to stand apart from the competition. Make an impression with a video brochure, video meets print.

Video Business Card Series			
2.4-inch Video Business Card			
Model No.	Product Image	Specifications	
VBC-024M	<p>BEST-SELLER 2.4"video business card 96*55*9mm</p> 	Card Size	96*55*9mm
		Orientation	Landscape
		LCD Display	2.4"TFT LCD color screen
		Screen Size	36*48mm
		Resolution	320*240 pixels (4:3)
		Processor	Action AK2117
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 450mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	No button
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI (need transferred with our converter)
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
Printing Support	350GSM coated paper with CMYK printing		
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.10KG		
VBC-024P	<p>NEW 2.4"video business card 96*58*11mm Pull-Out Slider</p> 	Card Size	96*58*11mm
		Orientation	Landscape
		LCD Display	2.4"TFT LCD color screen
		Screen Size	36*48mm
		Resolution	320*240 pixels (4:3)
		Processor	Action AK2117
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 450mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	No button
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI (need transferred with our converter)
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
Printing Support	350GSM coated paper with CMYK printing		
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.12KG		
VBC-028L	<p>BEST-SELLER 2.4"video business card 96*55*9mm</p> <p>Flat Card without Cover</p> 	Card Size	96*55*9mm
		Orientation	Landscape
		LCD Display	2.4"TFT LCD color screen
		Screen Size	36*48mm
		Resolution	320*240 pixels (4:3)
		Processor	Action AK2117
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 450mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-5 buttons
		Power Switch	Power ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI (need transferred with our converter)
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
Printing Support	350GSM coated paper with CMYK printing		
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.08KG		

Video Brochure Series


2.4-inch Video Brochure




Model No.	Product Image	Specifications	
VGC-024		Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	2.4" TFT LCD color screen
		Screen Size	36*48mm
		Resolution	320*240 pixels (4:3)
		Processor	Action AK2117
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 450mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI (need transferred with our converter)
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.15KG		


2.8-inch Video Brochure

Model No.	Product Image	Specifications	
VGC-028		Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	2.8" TFT LCD color screen
		Screen Size	42*58mm
		Resolution	320*240 pixels (4:3)
		Processor	Action AK2117
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 450mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI (need transferred with our converter)
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.15KG		


4.3-inch Video Brochure

Model No.	Product Image	Specifications	
VGC-043		Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	4.3" TFT LCD color screen
		Screen Size	95*54mm
		Resolution	480*272 pixels (16:9)
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 600mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.25KG		


VGC-043T		Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	4.3" TFT LCD color screen
		Screen Size	95*54mm
		Resolution	480*272 pixels (16:9)
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 600mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Touch Screen, no button
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Format	JPG for option
		Photo Formats	AVI/AVM/WMV/MP4/3GP
		Video Formats	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
		Paper Finishes	Matte/Glossy laminated
		Accessories	1 x USB cable for charging/uploading
G.W.	0.27KG		
VGC-043H	<p>BEST-SELLER</p> <p>Hard Cover Version</p>  	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Portrait
		LCD Display	4.3" TFT LCD color screen
		Screen Size	95*54mm
		Resolution	480*272 pixels (16:9)
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 600mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
		Paper Finishes	Matte/Glossy laminated
		Accessories	1 x USB cable for charging/uploading
G.W.	0.27KG		
VGC-043P	<p>BEST-SELLER</p> <p>Design with inside Pocket</p>  	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Portrait
		LCD Display	4.3" TFT LCD color screen
		Screen Size	95*54mm
		Resolution	480*272 pixels (16:9)
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 600mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
		Paper Finishes	Matte/Glossy laminated
		Accessories	1 x USB cable for charging/uploading
G.W.	0.27KG		



VGC-043F	 <p>BEST-SELLER</p> <p>Tri-Fold Brochure</p>	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Portrait
		LCD Display	4.3" TFT LCD color screen
		Screen Size	95*54mm
		Resolution	480*272 pixels (16:9)
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 600mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.27KG		



5-inch Video Brochure

Model No.	Product Image	Specifications	
VGC-050	 <p>Basic Version</p>	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	5" TFT LCD color screen
		Screen Size	110*62mm
		Resolution	480*272 pixels (16:9)/800*480 pixels
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 600mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG, PNG and GIF Images
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.30KG		


7-inch Video Brochure

Model No.	Product Image	Specifications	
VGC-070	 <p>BEST-SELLER</p> <p>Special Promotion</p> <p>Basic Version</p>	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	7" TFT LCD color screen
		Screen Size	153*86mm
		Resolution	800*480 pixels (16:9) /1024*600 pixels Full HD
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	3.7V 1000mah Lithium Battery
		Playback Time	Built-in 1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
		Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.37KG		

VGC-070T 	BEST-SELLER 1080P Full HD	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	7" TFT LCD screen Full HD 1080p
		Screen Size	153*86mm
		Resolution	800*480 pixels (16:9) / 1024*600 pixels Full HD
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	3.7V 1000mah Lithium Battery
		Playback Time	Built-in 1.5-3 hours Continue Playback
		Control Buttons	Touch Screen, no button
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
	Printing Support	350GSM coated paper with CMYK printing	
	Paper Finishes	Matte/Glossy laminated	
	Accessories	1 x USB cable for charging/uploading	
	G.W.	0.37KG	
VGC-070H 	BEST-SELLER Hard Cover Version	Brochure Size	A5 (211*148*9.5mm)
		Orientation	Landscape
		LCD Display	7" TFT LCD color screen
		Screen Size	153*86mm
		Resolution	800*480 pixels (16:9) / 1024*600 pixels Full HD
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	Built-in 3.7V 1000mah Lithium Battery
		Playback Time	1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
	Printing Support	350GSM coated paper with CMYK printing	
	Paper Finishes	Matte/Glossy laminated	
	Accessories	1 x USB cable for charging/uploading	
	G.W.	0.45KG	
VGC-070F 	BEST-SELLER Tri-Fold Brochure	Brochure Size	A4 (211*297*10.5mm)
		Orientation	Portrait
		LCD Display	7" TFT LCD color screen
		Screen Size	153*86mm
		Resolution	800*480 pixels (16:9) / 1024*600 pixels Full HD
		Processor	Allwinner E200
		Memory	128MB (optional 256MB-16GB)
		Speaker	Built-in 8Ω 1W speaker
		Power Supply	3.7V 1000mah Lithium Battery
		Playback Time	Built-in 1.5-3 hours Continue Playback
		Control Buttons	Optional 1-10 buttons
		Power Switch	Magnetic ON/OFF Switch
		Interface	mini-USB port 5 PIN, 2.0
		Photo Formats	JPG for option
		Video Formats	AVI/AVM/WMV/MP4/3GP
		Video Support	Single video/multi-videos
		System Support	XP/Vista/Windows7/Mac
	Printing Support	350GSM coated paper with CMYK printing	
	Paper Finishes	Matte/Glossy laminated	
	Accessories	1 x USB cable for charging/uploading	
	G.W.	0.45KG	

 <p>Flat Card without Cover</p>  <p>VGC-070M</p>	Brochure Size	A4 (211*297*10.5mm)
	Orientation	Portrait
	LCD Display	7" TFT LCD color screen
	Screen Size	153*86mm
	Resolution	800*480 pixels (16:9) / 1024*600 pixels Full HD
	Processor	Allwinner E200
	Memory	128MB (optional 256MB-16GB)
	Speaker	Built-in 8Ω 1W speaker
	Power Supply	Built-in 3.7V 1000mah Lithium Battery
	Playback Time	1.5-3 hours Continue Playback
	Control Buttons	Optional 1-10 buttons
	Power Switch	Press Button, Power ON/OFF Switch
	Interface	mini-USB port 5 PIN, 2.0
	Photo Formats	JPG for option
	Video Formats	AVI/AVM/WMV/MP4/3GP
	Video Support	Single video/multi-videos
	System Support	XP/Vista/Windows7/Mac
	Printing Support	350GSM coated paper with CMYK printing
Paper Finishes	Matte/Glossy laminated	
Accessories	1 x USB cable for charging/uploading	
G.W.	0.45KG	

10.1-inch Video Brochure

Model No.	Product Image	Specifications	
<p>Basic Version</p>  <p>VGC-101</p>	Brochure Size	A4 (211*297*10.5mm)	
	Orientation	Landscape	
	LCD Display	10.1" TFT LCD color screen	
	Screen Size	222*125mm	
	Resolution	1024*600 pixels (16:9)	
	Processor	Allwinner E200	
	Memory	128MB (optional 256MB-16GB)	
	Speaker	Built-in 8Ω 1W speaker	
	Power Supply	Built-in 3.7V 2000mah Lithium Battery	
	Playback Time	1.5-3 hours Continue Playback	
	Control Buttons	Optional 1-10 buttons	
	Power Switch	Magnetic ON/OFF Switch	
	Interface	mini-USB port 5 PIN, 2.0	
	Photo Formats	JPG for option	
	Video Formats	AVI/AVM/WMV/MP4/3GP	
	Video Support	Single video/multi-videos	
	System Support	XP/Vista/Windows7/Mac	
	Printing Support	350GSM coated paper with CMYK printing	
Paper Finishes	Matte/Glossy laminated		
Accessories	1 x USB cable for charging/uploading		
G.W.	0.58KG		

More Feature Options

Memories	Control Buttons (Max 10)	Interface	Packing Boxes
256MB	Power on/off	1 x Earphone Jack	White box
512MB	Play/Pause		Custom printed box
1GB	Volume up/down		Brown Kraft paper box
2GB	Fast Forward/Rewind		PU leather box
4GB-16GB	Video Selection		Others
Special Prints	Cover Materials	Product Sizes	
Embossing/Debossing	Hardcover/Hardback	A3 (297*420mm)	
Spot UV varnish	Soft touch paper	A4 (210*297mm)	
Gold/Silver foil stamping	PU leather	A5 (148*210mm)	
Laser Engraving	Plastic	A6 (105*148mm)	
Pantone(PMS)	Acrylic	Others	

Remarks:

Price Terms: **EXW Shenzhen**

Min.Order Quantity: **100 pieces!**

Supply Ability: 3,000 pieces per day.

Payment Terms: T/T 30% deposit in advance, 70% balance before shipment (Samples can be paid by PayPal, Western Union or MoneyGram).

Production Time: 24 hours for our stock samples; 7-10 days for 50-1000PCS; 10-15 days for 1,001-5,000PCS; 15-30 days for 5,000+PCS.

Packaging Details: 1) package: video brochure+USB cable. 2) box size: 475*300*375mm. 3) 80pcs/box for A5 size, 40pcs/box for A4 size.

Shipping Methods: By DHL, UPS, EMS, TNT, FEDEX, Aremax with door to door service; normally it will take 3-5 days to deliver to your office.

Warranty: 12 months (excluding damages due to misuse and unauthorized modification of hardware).

HS Code: 8521909090 or 8543709990




Design Tips:

- 1) We recommend to design your artwork / graphics with colored text over 6pt.
- 2) Minimum 3mm bleed should be added to all trimmed edges.
- 3) Vital text or images do not placed within 3mm of trim lines.
- 4) Images must be with high resolution > 300dpi and the output converted to CMYK prior to transfer. Please notify us if any Pantone colors.
- 5) Please ask your designer outline all the texts and contents, as we may not have the fonts you used. It is great to send us the fonts.
- 6) PDF or AI format templates can be downloaded from our website at <http://www.fun-tek.com/downloadlist.asp?i=4>.
- 7) We accept artwork / graphics in PDF, AI, PSD & CDR formats for printing. Please remember to outline before sending.

★ A5 Landscape Brochure for 2.4", 2.8", 3.5", 4.3", 5" and 7" screens. A4 Landscape Brochure for 10.1" screen:




★ A5 / A4 Portrait Brochure for 2.4", 2.8", 3.5", 4.3", 5" and 7" screens. A4 Portrait Brochure for 10.1" screen:



★ Video Brochure with inside pocket for sheets, brochures, pamphlets, flyers, mailers, DVDs and VCDs:



★ Video Brochure with Hard Cover:



Note: All contents are for reference only, and are subject to change without notice or obligation.